

AD-A045 348 BRIGHAM YOUNG UNIV PROV UTAH CENTER FOR HEALTH AND E--ETC F/6 6/3
ECTOPARASITES OF AFRICAN MAMMALS. (U)
NOV 76 C S HERRIN , V J TIPTON

DADA17-73-C-3042

NL

UNCLASSIFIED

| OF |
AD
A045 348



END
DATE
FILMED
11-77
DDC

AD A 045348

9
12

AD _____

ECTOPARASITES OF AFRICAN MAMMALS


FINAL SCIENTIFIC REPORT

C. Selby Herrin

and

Vernon J. Tipton

November 1976



Supported by

U. S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
Washington, D. C. 20314

Contract No. DADA17-73-C-3042

Center for Health and Environmental Studies
Brigham Young University
Provo, Utah 84602

Approved for public release;
distribution unlimited

The findings in this report are not to be construed as an
official Department of the Army position unless so designated
by other authorized documents.

AD No. _____
DDC FILE COPY

6. REPORT DATE 30 November 1976	7a. TOTAL NO. OF PAGES 8	7b. NO. OF REPS 2
8. CONTRACT OR GRANT NO. DADA17-73-C-3042	9a. ORIGINATOR'S REPORT NUMBER(S)	
9. PROJECT NO.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned to this report)	
10. DISTRIBUTION STATEMENT Approved for public release; distribution unlimited	11. SUPPLEMENTARY NOTES Africa	
12. SPONSORING MILITARY ACTIVITY John F. Reinert, PH.D. MAJ, MSC Chief, Entomology Research Branch U.S. Army Medical Research & Development Washington, D.C. 20314		13. ABSTRACT <p>The study of ectoparasites of African mammals was an integral part of the contract on "potential vectors and reservoirs of diseases in overseas areas." The collection consisted of ectoparasites from approximately 100,000 African small mammals, and represented probably more than 500 species of which many are yet undescribed. The study was undertaken because (1) epidemiological studies of arthropod-borne diseases require a sound taxonomic base., (2) a study of ectoparasites may provide information concerning interactions among animal reservoirs of disease, and (3) an understanding of ecological parameters for ectoparasites and their hosts may enhance understanding of epidemiological patterns. Of the four major groups dealt with, considerably more work was done with the mesostigmatid mites and the fleas than with the ticks and the trombiculid mites. All the fleas were mounted and many identified. A paper on the fleas of Morocco was published in the Journal of the Egyptian Public Health Association. Almost all mesostigmatid mites from northwest Africa were mounted and identified at least to genus, however, only about half of those collected in southern Africa were mounted. A major paper dealing with the mite genus <u>Laelaps</u> in Africa has been published in the Great Basin Naturalist. Another paper is currently being prepared for publication by a graduate student dealing with the genus <u>Haemolaelaps</u> in northwest Africa south of the Sahara. Approximately half of the trombiculid mites have been mounted on slides, but almost none have been identified. Very little work has been done with the ticks. The tick collection is being prepared for shipment to another scientist who will assume responsibility for the identification work of this group. Thus, this project was terminated with considerable work yet to be done with this enormous collection of ectoparasites.</p>

U
Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
African						
Arthropod Parasites						
Arthropod-borne Diseases						
Chiggers						
Ecological Distribution						
Ectoparasites						
Epidemiological Studies						
Ethiopian Region						
Fleas						
Geographical Distribution						
<u>Haemolaelaps</u>						
Host-parasite Relationships						
Ixodoidea						
<u>Laelaps</u>						
Mammals						
Mesostigmatid Mites						
Morocco						
Numerical Taxonomy						
Reservoirs						
Selgem Database Management System						
Taxonomic Revision						
Ticks						
Trombiculid Mites						
Vectors						

ACC 33-1700

✓ 13	Section
DDC	3 II Section
14	15
16	17
18	19
20	21
22	23
24	25
26	27
28	29
30	31
32	33
34	35
36	37
38	39
40	41
42	43
44	45
46	47
48	49
50	51
52	53
54	55
56	57
58	59
60	61
62	63
64	65
66	67
68	69
70	71
72	73
74	75
76	77
78	79
80	81
82	83
84	85
86	87
88	89
90	91
92	93
94	95
96	97
98	99
100	101
102	103
104	105
106	107
108	109
110	111
112	113
114	115
116	117
118	119
120	121
122	123
124	125
126	127
128	129
130	131
132	133
134	135
136	137
138	139
140	141
142	143
144	145
146	147
148	149
150	151
152	153
154	155
156	157
158	159
160	161
162	163
164	165
166	167
168	169
170	171
172	173
174	175
176	177
178	179
180	181
182	183
184	185
186	187
188	189
190	191
192	193
194	195
196	197
198	199
200	201
202	203
204	205
206	207
208	209
210	211
212	213
214	215
216	217
218	219
220	221
222	223
224	225
226	227
228	229
230	231
232	233
234	235
236	237
238	239
240	241
242	243
244	245
246	247
248	249
250	251
252	253
254	255
256	257
258	259
260	261
262	263
264	265
266	267
268	269
270	271
272	273
274	275
276	277
278	279
280	281
282	283
284	285
286	287
288	289
290	291
292	293
294	295
296	297
298	299
300	301
302	303
304	305
306	307
308	309
310	311
312	313
314	315
316	317
318	319
320	321
322	323
324	325
326	327
328	329
330	331
332	333
334	335
336	337
338	339
340	341
342	343
344	345
346	347
348	349
350	351
352	353
354	355
356	357
358	359
360	361
362	363
364	365
366	367
368	369
370	371
372	373
374	375
376	377
378	379
380	381
382	383
384	385
386	387
388	389
390	391
392	393
394	395
396	397
398	399
400	401
402	403
404	405
406	407
408	409
410	411
412	413
414	415
416	417
418	419
420	421
422	423
424	425
426	427
428	429
430	431
432	433
434	435
436	437
438	439
440	441
442	443
444	445
446	447
448	449
450	451
452	453
454	455
456	457
458	459
460	461
462	463
464	465
466	467
468	469
470	471
472	473
474	475
476	477
478	479
480	481
482	483
484	485
486	487
488	489
490	491
492	493
494	495
496	497
498	499
500	501
502	503
504	505
506	507
508	509
510	511
512	513
514	515
516	517
518	519
520	521
522	523
524	525
526	527
528	529
530	531
532	533
534	535
536	537
538	539
540	541
542	543
544	545
546	547
548	549
550	551
552	553
554	555
556	557
558	559
560	561
562	563
564	565
566	567
568	569
570	571
572	573
574	575
576	577
578	579
580	581
582	583
584	585
586	587
588	589
590	591
592	593
594	595
596	597
598	599
600	601
602	603
604	605
606	607
608	609
610	611
612	613
614	615
616	617
618	619
620	621
622	623
624	625
626	627
628	629
630	631
632	633
634	635
636	637
638	639
640	641
642	643
644	645
646	647
648	649
650	651
652	653
654	655
656	657
658	659
660	661
662	663
664	665
666	667
668	669
670	671
672	673
674	675
676	677
678	679
680	681
682	683
684	685
686	687
688	689
690	691
692	693
694	695
696	697
698	699
700	701
702	703
704	705
706	707
708	709
710	711
712	713
714	715
716	717
718	719
720	721
722	723
724	725
726	727
728	729
730	731
732	733
734	735
736	737
738	739
740	741
742	743
744	745
746	747
748	749
750	751
752	753
754	755
756	757
758	759
760	761
762	763
764	765
766	767
768	769
770	771
772	773
774	775
776	777
778	779
780	781
782	783
784	785
786	787
788	789
790	791
792	793
794	795
796	797
798	799
800	801
802	803
804	805
806	807
808	809
810	811
812	813
814	815
816	817
818	819
820	821
822	823
824	825
826	827
828	829
830	831
832	833
834	835
836	837
838	839
840	841
842	843
844	845
846	847
848	849
850	851
852	853
854	855
856	857
858	859
860	861
862	863
864	865
866	867
868	869
870	871
872	873
874	875
876	877
878	879
880	881
882	883
884	885
886	887
888	889
890	891
892	893
894	895
896	897
898	899
900	901
902	903
904	905
906	907
908	909
910	911
912	913
914	915
916	917
918	919
920	921
922	923
924	925
926	927
928	929
930	931
932	933
934	935
936	937
938	939
940	941
942	943
944	945
946	947
948	949
950	951
952	953
954	955
956	957
958	959
960	961
962	963
964	965
966	967
968	969
970	971
972	973
974	975
976	977
978	979
980	981
982	983
984	985
986	987
988	989
990	991
992	993
994	995
996	997
998	999
999	999

I. Introduction and Background

The ectoparasites collected from the approximately 100,000 African mammals constitute the largest single collection of ectoparasites made in any geographical or political subdivision of the world. There are probably more than 500 species of ectoparasites in this collection, many of which are yet undescribed. The African continent is noted for the number and variety of endemic arthropod-borne diseases. There were several practical reasons for studying the ectoparasites of African mammals. Epidemiological studies of arthropod-borne diseases require a sound taxonomic base, and a study of ectoparasites and their hosts may enhance understanding of epidemiological patterns.

The major objectives of this project were to (1) determine parameters related to the geographical and ecological distribution of ectoparasites of Africa, (2) provide a reference collection of identified ectoparasites with well documented associated data available to workers with interest in epidemiology and the ectoparasite fauna of Africa, (3) enter the data into a computer data base system (SELGEM system for information management) so that it would be readily available to those working with a specific disease biocenose involving African ectoparasites, and (4) provide data, illustrations and keys through publication of scientific papers which may be used by epidemiologists and entomologists to identify ectoparasites found on mammals of Africa.

The project on ectoparasites of African mammals was restricted to four major groups of arthropod parasites: (1) mesostigmatid mites, (2) trombiculid mites, (3) ticks and (4) fleas. All other arthropod parasites (lice and other miscellaneous insects) in the collections were returned to the Smithsonian Institution for distribution to other specialists for study. The largest group of specimens was the mesostigmatid mites, thus a greater percentage of effort was devoted to this group. Each of these four major groups are treated separately in the report.

Very few of the ectoparasite collections were prepared for museum storage. Some slides of fleas and mesostigmatid mites were labeled with identification labels, but none were labeled with collections data labels. Thus preparation of specimens for museum storage could not be completed with host identifications because the necessary collection data which was only partially available. Since the beginning of the project the Smithsonian Institution Mammal Division Personnel have been entering the collection data into the SELGEM data base management system. We were periodically provided with computer listings of collection records for our own use as they became available. In this way the ectoparasites were associated with the hosts from which they were collected.

During the nearly six years duration of the project, the major emphasis was in the preparation of the ectoparasites for study; that is, sorting them into major taxonomic groups, shipment of Anoplura, Mallophaga, Streblidae and Nycteriidae back to the Smithsonian Institution for distribution to appropriate entomologists, mounting of specimens on microscope slides, labeling and general identification. A letter has been sent to the U.S. Army Research and Development Command requesting a modest financial support to assist in further sorting and shipment of the ectoparasite specimens.

II. Accomplishments

A. Mesostigmatid Mites

The objective of this phase of the study was to investigate the systematics of mesostigmatid mites parasitic on small mammals of the Ethiopian region, including taxonomic revisions of certain genera, and host-parasite relationships of all groups. The specific aims in accomplishing this objective were to (1) make a systematic revision of the genus Laelaps of the Ethiopian region, based on numerical taxonomic analysis and host parasite associations; (2) make a numerical taxonomic analysis of the genus Haemolaelaps of the Ethiopian region; (3) prepare identification keys to all mesostigmatid mite groups occurring on African small mammals; (4) prepare complete descriptions of all new species of African mesostigmatid mites for publication; and (5) investigate the host-parasite and ecological relationships of all parasitic mesostigmatid mites of Africa.

Almost all mesostigmatid mites from northwest Africa have been mounted and identified at least to genus, however, only about half of those collected in southern Africa have even been mounted. A major paper dealing with the mite genus Laelaps in Africa has been published in the Great Basin Naturalist (Herrin and Tipton, 1976, ¹). Another paper is currently being prepared for publication by a graduate student dealing with the genus Haemolaelaps in northwest Africa south of the Sahara. This paper should be submitted for publication within the next few months. Within these two papers 4 new species of Laelaps and 10 new species of Haemolaelaps are described.

Preliminary identification keys to the families and genera of mesostigmatid mites of African small mammals were prepared and are available but are not ready for publication. These keys to families and genera will have to be further refined, and keys to species of all genera prepared before being submitted for publication. Also it is inappropriate to publish these keys outside the context of a systematic review of a particular taxon. Descriptions of new species of African Laelaps and Haemolaelaps mites have been made, but no other descriptions have been prepared for publication. Approximately 12 new species in addition to the Laelaps and Haemolaelaps noted above have been found among the African ectoparasite material. There are no plans at present for the publication of descriptions for these new species.

¹

Herrin, C. Selby and Vernon J. Tipton. 1976. A systematic Revision of the Genus Laelaps s. str. (Acari: Mesostigmata) of the Ethiopian Region. Great Basin Naturalist 36(2): 113-205, June 1976.

Studies dealing with host-parasite and ecological relationships of all parasitic mesostigmatid mites of Africa could not be undertaken until after the identifications had been completed and the collection data (host, locality, ecological, etc.) assembled.

All mesostigmatid mite specimens, described as well as undescribed material, will be temporarily deposited in the Brigham Young University Life Science Museum until competent specialists and adequate funding can be obtained to complete the unfinished work.

B. Trombiculid Mites

The objectives were to conduct a systematic study of Ethiopian trombiculid mites, construct keys and make illustrations to facilitate their identification, and provide data relative to host-parasite relationships and other ecological parameters. The specific aims for accomplishing this objective were to (1) complete identification of the African chiggers; (2) construct keys and illustrate characters of taxonomic importance for major taxa; (3) describe new taxa and redescribe other taxa requiring such treatment; and, (4) compile and evaluate host-parasite data in terms of epidemiological significance.

Approximately 5,000 chiggers were mounted, however, all but about 300 specimens were from Morocco. Generic and specific determinations were made for about 1,300 of those mounted. Specific identifications were limited because of the lack of a reference collection of type material. Type specimens for about 80 species were located, but only 20 specimens were received. The material which was identified represents 13 genera or subgenera and some 22 species, including several undescribed species and at least three new genera or subgenera. Thus, evidence indicates considerable undescribed material in the Moroccan collection alone, and the same would be expected in other areas of Africa. There are still approximately 3,250 vials of chiggers yet to be mounted and most of the entire collection is left unidentified.

Progress in the preparation of identification keys, descriptions and illustration of characters was limited until more work could be done in assimilating a reference collection and in the identification of additional material. Thus, very little was accomplished in the description of new species or the preparation of keys and illustrations. Compilation and evaluation of host-parasite data could not be undertaken because of the lack of collection data and complete identifications of the material.

C. Ticks

The objectives of this phase of the project were to identify ticks and make data on host-parasite relationships available to other workers engaged in studies of African Ixodoidea. The specific aims for accomplishing these objectives were to (1) identify all ticks in the Smithsonian-African collection, (2) attempt to make correlations between immature forms and adults, and (3) investigate the host-parasite and ecological relationships of African ticks.

Some progress was made in the preliminary identification of the ticks to genus. The tick collections, sorted by country, collector and collectors number, have been shipped to Dr. Carlton M. Clifford, National Institute of Allergy and Infectious Diseases, Rocky Mountain Laboratory, Hamilton, Montana 59840, who will assume responsibility for the identification of this collection, as well as any other studies which may be undertaken.

D. Fleas

The objectives of this part of the project were to conduct a systematic study of African fleas, compare the flea fauna of each political subdivision with the flea fauna of other political subdivisions and attempt to explain the differences on the basis of physical and biological parameters, and provide publications containing data on host-parasite relationships, distribution, and taxonomic keys and illustrations. The specific aims for accomplishing these objectives were to: (1) complete identification of the approximately 50,000 fleas in the Smithsonian-African collection; (2) publication of the paper on the fleas of Morocco; and (3) prepare publications containing descriptions of new taxa, taxonomic keys, illustrations, host-parasite and ecological relationships, and geographical distribution of all other political subdivisions of Africa.

All fleas have been processed and prepared for identification. Considerable work on the identification of this material was done in collaboration with Lt. Michael Hastriter and Dr. Robert Traub. A paper dealing with the fleas of Morocco was published in the *Journal of the Egyptian Public Health Association* (Hastriter and Tipton, 1975,²). Reprints of this publication are ready for distribution.

²Hastriter, Michael W. and Vernon J. Tipton. 1975. Fleas (Siphonaptera) Associated With Small Mammals of Morocco. *J. Egypt. Publ. Hlth Assoc.* 50 (2): 79-169.

Since a portion of the flea collection was sent to Dr. Robert Traub early in the history of the project, it is essential that this phase of the project be a cooperative venture between Dr. Traub and Lt. Michael Hastriter, or other workers, to avoid duplication of effort. Plans for joint authorship of papers on flea taxa to be described were formulated and Lt. Hastriter had identified about 30% of the fleas of Africa. The flea collection will be temporarily placed in the Brigham Young University Life Science Museum until definite arrangements are made for the completion of the work by Dr. Robert Traub and Lt. Michael Hastriter or other competent specialists.

BIBLIOGRAPHY

Hastriter, Michael W. and Vernon J. Tipton. 1975. Fleas (Siphonaptera) Associated with Small Mammals of Morocco. *J. Egypt. Public Hlth. Assoc.* 50(2): 79-169.

Herrin, C. Selby and Vernon J. Tipton. 1976. A Systematic Revision of the Genus Laelaps s. str. (Acaria: Mesostigmata) of the Ethiopian Region. *Great Basin Nat.* 36(2): 113-205.

Sakamoto, Calvin J. and C. Selby Herrin. The Genus Haemolaelaps (Acarina: Laelapidae) in the Northwest Ethiopian Biogeographical Region. (manuscript in preparation).

DISTRIBUTION

Contract No. DADA17-73-C-3042

Name of Contractor: Center for Health and Environmental Studies
Brigham Young University

Principal Investigator: C. Selby Herrin

Date of Report: November 1976

Final Scientific Report

4 copies HQDA (SCRDRP)
Washington, D. C. 20314

12 copies Defense Documentation Center
Attn: DDC-TCA
Cameron Station
Alexandria, Virginia 22314

1 copy Superintendent
Academy of Health Sciences, U. S. Army
Attn: AHS-COM
Fort Sam Houston, Texas 78234

1 copy Dean
School of Medicine
Uniformed Services Univ. of the Health Sciences
Office of the Secretary of Defense
6917 Arlington Road
Bethesda, MD 20014

Reprints of Publications

10 copies of each HQDA (SGRDRD)
Washington, D. C. 20314